

# HONG KONG PACIFIC TOWER

## HIGH ZONE

## 21<sup>ST</sup> FLOOR FLOOR PLAN



Floor Loading:	3 kPa+2
Electricity Loading:	TPN 300 A
HVAC:	Variable Air Volume
Floor Height (Slab to Slab):	4.9 m
Ceiling Height (Clearance):	3.5 m
Raised Floor:	150 mm
Floor Usage:	Office, Trading Floor
Automated Openable Window:	6
GFA:	16,201 ft <sup>2</sup>

# HONG KONG PACIFIC TOWER

## HIGH ZONE

### 22<sup>ND</sup> FLOOR FLOOR PLAN



Floor Loading:	3 kPa+2
Electricity Loading:	TPN 300 A
HVAC:	Variable Air Volume
Floor Height (Slab to Slab):	4.9 m
Ceiling Height (Clearance):	3.8 m
Raised Floor:	150 mm
Floor Usage:	Office, Trading Floor
Automated Openable Window:	6
GFA:	16,758 ft <sup>2</sup>

# HONG KONG PACIFIC TOWER

## HIGH ZONE

## 23<sup>RD</sup> FLOOR FLOOR PLAN



Floor Loading:	3 kPa+2
Electricity Loading:	TPN 300 A
HVAC:	Variable Air Volume
Floor Height (Slab to Slab):	4.9 m
Ceiling Height (Clearance):	3.8 m
Raised Floor:	150 mm
Floor Usage:	Office, Trading Floor
Automated Openable Window:	6
GFA:	17,284 ft <sup>2</sup>

# HONG KONG PACIFIC TOWER

## HIGH ZONE

## 25<sup>TH</sup> FLOOR FLOOR PLAN



Floor Loading:	3 kPa+2
Electricity Loading:	TPN 300 A
HVAC:	Variable Air Volume
Floor Height (Slab to Slab):	4.9 m
Ceiling Height (Clearance):	3.5 m
Raised Floor:	150 mm
Floor Usage:	Office, Trading Floor
Automated Openable Window:	6
GFA:	17,284 ft <sup>2</sup>

FOR LEASING INQUIRIES  
LEASING@HKPI.COM.HK  
+852 8201 1081

18 SHEUNG YUET ROAD, KOWLOON BAY,  
KOWLOON, HONG KONG